

LEGEND



Application of Speaking Valve



Tracheostomy



Mechanical Ventilation



Advanced Dysphagia



Multidisciplinary Team



Hi-Flow Oxygen



Patient Communication



Therapy Technique



Early Intervention



Quality of Life



Anatomy & Physiology



Costs



Medication



AARC Clinical practice guideline: Pulmonary rehabilitation. (2002). *Respiratory Care*, 37(5), 617-25.



Abraham, S. S. & Wolf, E. L. (2000). Swallowing physiology of toddlers with long-term tracheostomies: A preliminary study. *Dysphagia*, 15(4), 206-212. doi:10.1007/s004550000029



Adler, J. & Malone, D. (2012). Early mobilization in the intensive care unit: A systematic review. *Cardiopulmonary Physical Therapy Journal*, 23(1), 5-13.



Agency for Healthcare Research and Quality, Rockville, MD. Guide to patient and family engagement in hospital quality and safety. <http://www.ahrq.gov/professionals/systems/hospital/engagingfamilies/index.html>



Alabdah, J., Lynch, J., & McGrath, B. A. (2018). Reduction in hospital length of stay via tracheostomy quality improvement collaborative. *British Journal of Anaesthesia*, 120(5): e25-e26. DOI: 10.1016/j.bja.2017.11.058



Allen, C., Glasziou, P., & Del Mar, C. (1999). Bed rest: A potentially harmful treatment needing more careful evaluation. *Lancet*, 354(9186), 1229-1233. doi:10.1016/s01460-6736(98)10063-6



Amathieu, R., Sauvat, S., Reynaud, P., Slavov, V., Luis, D., Dinca, A., ... Dhonneur, G. (2012). Influence of the cuff pressure on the swallowing reflex in tracheostomized intensive care unit patients. *British Journal of Anaesthesia*, 109(4), 578-583. doi:10.1093/bja/aes210



Bach, J. R., & Esquinas, A. M. (2013). Speech and mechanical ventilation. *Chest*, 144(5), 1739-1740. doi:10.1378/chest.13-1506



Bailey, P., Thomsen, G. E., Spuhler, V. J., Blair, R., Jewkes, J., Bezdjian, L., ... Hopkins, R. O. (2007). Early activity is feasible and safe in respiratory failure patients. *Critical Care Medicine*, 35(1), 139-145. doi:10.1097/01.ccm.0000251130.69568.87



Bergl, P., Kumar, G., Zane, A., Shah, K., Zellner, S., Taneja, A.,... Nanchal, R. (2018). 517: Acquired dysphagia after mechanical ventilation an underrecognized and undercoded phenomenon? *Critical Care Medicine*, 46(1): 243. doi: 10.1097/01.ccm.0000528535.80915.5b



Blumenfield, L., Salgado, M., Wade, K., Dhupa, A., Ling, E., & Belafsky, P. (2011). The effects of tracheostomy speaking valve use on disordered swallowing. DRS Poster presentation.



Bonanno, P. C. (1971). Swallowing dysfunction after tracheostomy. *Annals of Surgery*, 174(1), 29-33. doi:10.1097/00000658-197107010-00005



Bosma, K. J., Read, B. A., Nikoo, M. J., Jones, P. M., Priestap, F. A., & Lewis, J. F. (2016). A pilot randomized trial comparing weaning from mechanical ventilation on pressure support versus proportional assist ventilation. *Critical Care Medicine*, 44(6), 1098-1108. doi:10.1097/ccm.0000000000001600



Bovento, B, Wallace, S., Lynch, J., Coe, B., & McGrath, B.A. (2017). Role of the multidisciplinary team in the care of the tracheostomy patient. *Journal of Multidisciplinary Health*, 10:391-398.



Brady, S. L., Hildner, C. D., & Hutchins, B. F. (1999). Simultaneous videofluoroscopic swallow study and modified Evans blue dye procedure: An evaluation of blue dye visualization in cases of known aspiration. *Dysphagia*, 14(3), 146-149. doi:10.1007/pl00009596



Bultsma, R., Koopmans, M., Kuiper, M., & Egbers, P. (2014). Ability to speak in ventilator-dependent tracheostomized ICU patients. *Critical Care*, 18(Suppl 1), P323. doi:10.1186/cc13513



Burkhead, L. M. (2011). Swallowing evaluation and ventilator dependency – considerations and contemporary approaches. *Perspectives on Swallowing and Swallowing Disorders (Dysphagia)*, 20(1), 18. doi:10.1044/sasd20.1.18



Burkhead, L. M., Sapienza, C. M., & Rosenbek, J. C. (2007). Strength-training exercise in dysphagia rehabilitation: Principles, procedures, and directions for future research. *Dysphagia*, 22(3), 251-265. doi:10.1007/s00455-006-9074-z



Cameron, T. S., McKinstry, A., Burt, S. K., Howard, M. E., Bellomo, R., Brown, D. J., ... O'Donoghue, F. J. (2009). Outcomes of patients with spinal cord injury before and after introduction of an interdisciplinary tracheostomy team. *Critical Care and Resuscitation*, 11(1), 14-19.



Cameron, T., Zaga, C., Rautela, L., Chao, C., Ross, J., & Marchingo, E. (2017). *Scheduled use of the Passy Muir Valve (PMV) in line with the ventilator*. Austin Health: Australia.



Carmona, A. F., Díaz, M. A., Alonso, E. A., Guarasa, I. M., López, P. M., & Castellanos, M. D. (2015). Use of speaking valve on preventing respiratory infections in critical tracheostomized patients diagnosed of dysphagia secondary to artificial airway. Edisval study. *Intensive Care Medicine Experimental*, 3(Suppl 1). doi:10.1186/2197-425x-3-s1-a936



Chen, Y., Jacobs, W. J., Quan, S. F., Figueredo, A. J., & Davis, A. H. (2011). Psychophysiological determinants of repeated ventilator weaning failure: An explanatory model. *American Journal of Critical Care*, 20(4), 292-302. doi:10.4037/ajcc2011886



Corley, A., Edwards, M., Spooner, A. J., Dunster, K. R., Anstey, C. M., & Fraser, J. F. (2017). High-flow oxygen via tracheostomy improves oxygenation in patients weaning from mechanical ventilation: A randomised crossover study. *Intensive Care Medicine*, 43(3), 465-7.



Coyle, J. L. (2014). Dysphagia following prolonged endotracheal intubation: Is there a rule of thumb? *Perspectives on Swallowing and Swallowing Disorders (Dysphagia)*, 23(2), 80. doi:10.1044/sasd23.2.80



Davis, D. G., Bears, S., Barone, J. E., Corvo, P. R., & Tucker, J. B. (2002). Swallowing with a tracheostomy tube in place: Does cuff inflation matter? *Journal of Intensive Care Medicine*, 17(3), 132-135. doi:10.1177/088506660201700304



Davis, P. R., & Troup, J. D. (1964). Pressures in the trunk cavities when pulling, pushing and lifting. *Ergonomics*, 7(4), 465-474. doi:10.1080/00140136408930764



de Jonghe, B., Lacherade, J. C., Sharshar, T., & Outin, H. (2009). Intensive care unit-acquired weakness: Risk factors and prevention. *Critical Care Medicine*, 37(10 Suppl), S309-315 doi:10.1097/ccm.0b013e3181b6e64c



de Mestral, C. (2011). Impact of a specialized multidisciplinary tracheostomy team on tracheostomy care in critically ill patients. *Canadian Journal of Surgery*, 54(3), 167-172. doi:10.1503/cjs.043209



Dean, E., & Frownfelter, D. L. (2005). *Cardiovascular and Pulmonary Physical Therapy* (4th ed.). St. Louis, MO: Elsevier/Mosby.



Dettelbach, M. A., Gross, R. D., Mahlmann, J., & Eibling, D. E. (1995). Effect of the Passy-Muir valve on aspiration in patients with tracheostomy. *Head & Neck*, 17(4), 297-302. doi:10.1002/hed.2880170405



Ding, R., & Logemann, J. A. (2005). Swallow physiology in patients with trach cuff inflated or deflated: A retrospective study. *Head & Neck*, 27(9), 809-813. doi:10.1002/hed.20248



Donzelli, J., Brady, S., Wesling, M., & Craney, M. (2001). Simultaneous modified Evans blue dye procedure and video nasal endoscopic evaluation of the swallow. *The Laryngoscope*, 111(10), 1746-1750. doi:10.1097/00005537-200110000-00015



Donzelli, J., Brady, S., Wesling, M., & Theisen, M. (2006). Secretions, occlusion status, and swallowing in patients with a tracheotomy tube: A descriptive study. *Ear Nose Throat Journal*, 85(12), 831-834.

-   Donzelli, J., Brady, S., Wesling, M., & Theisen, M. (2006). Secretions, occlusion status, and swallowing in patients with a tracheostomy tube: A descriptive study. *Ear Nose Throat Journal*, 85(12), 831-834.
-   Durbin, C. G., Jr. (2010). Tracheostomy: Why, when, and how? *Respiratory Care*, 55(8), 1056-1068.
-     Egbers, P. H. & Boerma, E. C. (2017). Communicating with conscious mechanically ventilated critically ill patients: let them speak with deflated cuff and an in-line speaking valve! *Critical Care*, 21(1).
-    Egbers, P. H., Bultsma, R., Middelkamp, H., & Boerma, E. C. (2014). Enabling speech in ICU patients during mechanical ventilation. *Intensive Care Medicine*, 40(7), 1057-1058. doi:10.1007/s00134-014-3315-7
-   Eibling, D. E., & Gross, R. D. (1996). Subglottic air pressure: A key component of swallowing efficiency. *Annals of Otolaryngology, Rhinology & Laryngology*, 105(4), 253-258. doi:10.1177/000348949610500401
-   Elpern, E. H., Okonek, M. B., Bacon, M., Gerstung, C., & Skrzyński, M. (2000). Effect of the Passy-Muir tracheostomy speaking valve on pulmonary aspiration in adults. *Heart & Lung: The Journal of Acute and Critical Care*, 29(4), 287-293. doi:10.1067/mhl.2000.106941
-   Elpern, E. H., Scott, M. G., Petro, L., & Ries, M. H. (1994). Pulmonary aspiration in mechanically ventilated patients with tracheostomies. *Chest*, 105(2), 563-566. doi:10.1378/chest.105.2.563
-     Fisher, D. F., Kondili, D., Williams, J., Hess, D. R., Bittner, E. A., & Schmidt, U. H. (2013). Tracheostomy tube change before day 7 is associated with earlier use of speaking valve and earlier oral intake. *Respiratory Care*, 58(2), 257-263. doi:10.4187/respcare.01714
-      Ford, D. W., & Martin-Harris, B. (2016). I miss the sound of your voice. *Critical Care Medicine*, 44(6), 1234-1235. doi:10.1097/ccm.0000000000001749
-    Fraser, J. F., Spooner, A. J., Dunster, K. R., Anstey, C. M., & Corley, A. (2016). Nasal high flow oxygen therapy in patients with COPD reduces respiratory rate and tissue carbon dioxide while increasing tidal and end-expiratory lung volumes: A randomised crossover trial. *Thorax*, 71, 759-61.
-      Freeman-Sanderson, A. L., Togher, L., Elkins, M. R., & Kenny, B. (2018). Quality of life improves for tracheostomy patients with return of voice: A mixed methods evaluation of the patient experience across the care continuum. *Intensive Critical Care Nursing*, 46:10-16. doi:10.1016/j.iccn.2018.02.004
-     Freeman-Sanderson, A. L., Togher, L., Elkins, M. R., & Phipps, P. R. (2015). An intervention to allow early speech in ventilated tracheostomy patients in an Australian intensive care unit (ICU): A randomised controlled trial. *Australian Critical Care*, 119, A 6420.
-     Freeman-Sanderson, A. L., Togher, L., Elkins, M. R., & Phipps, P. R. (2016). An intervention to allow early speech in ventilated tracheostomy patients in an Australian intensive care unit (ICU): A randomised controlled trial. *Australian Critical Care*, 29(2), 114. doi:10.1016/j.aucc.2015.12.012
-     Freeman-Sanderson, A. L., Togher, L., Elkins, M. R., & Phipps, P. R. (2016). Quality of life improves with return of voice in tracheostomy patients in intensive care: An observational study. *Journal of Critical Care*, 33, 186-191. doi:10.1016/j.jcicc.2016.01.012
-     Freeman-Sanderson, A. L., Togher, L., Elkins, M. R., & Phipps, P. R. (2016). Return of voice for ventilated tracheostomy patients in ICU: A randomized, controlled trial of early-targeted intervention. *Critical Care Medicine*, 44(6), 1075-1081. doi:10.1097/ccm.0000000000001610
-     Fröhlich, M. R., Boksberger, H., Barfuss-Schneider, C., Liem, E., & Petry, H. (2017). Safe swallowing and communicating for ventilated intensive care patients with tracheostoma: Implementation of the Passy Muir speaking valve. *Pflege*, 30(6), 87-394. doi:10.1024/1012-5302/a000589
-  Gandevia, S. C., Butler, J. E., Hodges, P. W., & Taylor, J. L. (2002). Balancing acts: Respiratory sensations, motor control and human posture. *Clinical and Experimental Pharmacology and Physiology*, 29(1-2), 118-121. doi:10.1046/j.1440-1681.2002.03611.x
-   Geddes, L., O'Brien, K., Reid, W. D., Brooks, D., & Crowe, J. (2008). Inspiratory muscle training in adults with chronic obstructive pulmonary disease: An update of a systematic review. *Respiratory Medicine*, 102(12), 1715-1729. doi:10.1016/j.rmed.2008.07.005

-  Girard, T. D., Alhazzani, W., Kress, J. P., Ouellette, D. R., Schmidt, G. A., Truwit, J. D., ...Morris, P. E. (2017). An official American Thoracic Society/American College of Chest Physicians clinical practice guideline: Liberation from mechanical ventilation in critically ill adults: Rehabilitation protocols, ventilator liberation protocols, and cuff leak tests. *American Journal of Respiratory Critical Care Medicine*, 195, 120–133.
-    Gomes, R. H. S., de Siqueira Aoki, M. C., Santos, R. S., & Motter, A. A. (2016). The communication of the tracheostomized patient: an integrated review. *Revista CEFAC: Speech, Language, and Hearing Sciences and Education Journal*, 18(5). <http://dx.doi.org/10.1590/1982-021620161851916>
-  Griffiths, R. D., & Jones, C. (1999). ABC of intensive care: Recovery from intensive care. *British Medical Journal*, 319(7207), 427-429. doi:10.1136/bmj.319.7207.427
-   Griffiths, R. D., Palmer, T. E., Helliwell, T., MacLennan, P., & MacMillan, R. R. (1995). Effect of passive stretching on the wasting of muscle in the critically ill. *Nutrition*, 11(5), 428-432. doi:10.1016/s0899-9007(96)00372-3
-  Gross, R. D., Atwood, C. W., Grayhack, J. P., Jr., & Shaiman, S. (2003). Lung volume effects on pharyngeal swallowing physiology. *Journal of Applied Physiology*, 95(6), 2211-2217. doi:10.1152/jappphysiol.00316.2003
-  Gross, R. D., Atwood, C. W., Jr., Ross, S. B., Olszewski, J. W., & Eichhorn, K. A. (2009). The coordination of breathing and swallowing in chronic obstructive pulmonary disease. *American Journal of Respiratory and Critical Care Medicine*, 179(7), 559-565. doi:10.1164/rccm.200807-1139oc
-   Gross, R. D., Mahlmann, J., & Grayhack, J. P. (2003). Physiologic effects of open and closed tracheostomy tubes on the pharyngeal swallow. *Annals of Otolaryngology, Rhinology & Laryngology*, 112(2), 143-152. doi:10.1177/000348940311200207
-  Gross, R. D., Steinhauer, K. M., Zajac, D. J., & Weissler, M. C. (2006). Direct measurement of subglottic air pressure while swallowing. *The Laryngoscope*, 116(5), 753-761. doi:10.1097/01.mlg.00000205168.39446.12
-    Grossbach, I., Stranberg, S., & Chlan, L. (2010). Promoting effective communication for patients receiving mechanical ventilation. *Critical Care Nurse*, 31(3), 46-60. doi:10.4037/ccn2010728
-   Grosu, H. B., Lee, Y. I., Lee, J., Eden, E., Eikermann, M., & Rose, K. M. (2012). Diaphragm muscle thinning in patients who are mechanically ventilated. *Chest*, 142(6), 1455-1460. doi:10.1378/chest.11-1638
-    Guttormson, J. L., Bremer, K. L., & Jones, R. M. (2015). "Not being able to talk was horrid": A descriptive, correlational study of communication during mechanical ventilation. *Intensive and Critical Care Nursing*, 31(3), 179-186. doi:10.1016/j.iccn.2014.10.007
-   Hagins, M., & Lamberg, E. M. (2006). Natural breath control during lifting tasks: Effect of load. *European Journal of Applied Physiology*, 96(4), 453-458. doi:10.1007/s00421-005-0097-1.
-   Hagins, M., Pietrek, M., Sheikhzadeh, A., Nordin, M., & Axen, K. (2004). The effects of breath control on intra-abdominal pressure during lifting tasks. *Spine*, 29(4), 464-469. doi:10.1097/01.brs.0000092368.90019.d8
-   Hamaoui, A., Gonneau, E., & Bozec, S. L. (2010). Respiratory disturbance to posture varies according to the respiratory mode. *Neuroscience Letters*, 475(3), 141-144. doi:10.1016/j.neulet.2010.03.064
-   Hårdemark Cedborg, A., Sundman, E., Bodén, K., Hedström, H. W., Kuylenstierna, R., Ekberg, O., & Eriksson, L. I. (2009). Co-ordination of spontaneous swallowing with respiratory airflow and diaphragmatic and abdominal muscle activity in healthy adult humans. *Experimental Physiology*, 94(4), 459-468. doi:10.1113/expphysiol.2008.045724
-   Hashmi, N. K., Ransom, E., Nardone, H., Redding, N., & Mirza, N. (2010). Quality of life and self-image in patients undergoing tracheostomy. *The Laryngoscope*, 120(S4). doi:10.1002/lary.21663
-  HCAHPS. (2016). Patients' perspectives of care survey - Centers for Medicare & Medicaid services. Retrieved April 8, 2016, from <https://www.cms.gov/Medicare/Quality-Initiatives-Patient-Assessment-instruments/HospitalQualityInits/HospitalHCAHPS.html>



Heffner, J. E. (2005). Management of the chronically ventilated patient with a tracheostomy. *Chronic Respiratory Disease*, 2(3), 151-161. doi:10.1191/1479972305cd084ra



Hernandez, G., Pedrosa, A., Ortiz, R., Accuaroni, M. D., Cuenca, R., Collado, C. V., ... Fernandez, R. (2013). The effects of increasing effective airway diameter on weaning from mechanical ventilation in tracheostomized patients: A randomized controlled trial. *Intensive Care Medicine*, 39(6), 1063-1070. doi:10.1007/s00134-013-2870-7



Hiss, S. G., Strauss, M., Treole, K., Stuart, A., & Boutilier, S. (2003). Swallowing apnea as a function of airway closure. *Dysphagia*, 18(4), 293-300. doi:10.1007/s00455-003-0021-y



Hodges, P. W., & Gandevia, S. C. (2000). Changes in intra-abdominal pressure during postural and respiratory activation of the human diaphragm. *Journal of Applied Physiology*, 89(3), 967-976.



Hofmann, L., Bolton, J., & Ferry, S. (2008). Passy-Muir speaking valve use in a children's hospital: An interdisciplinary approach. *Perspectives: ASHA*, 18(2), 76-86. doi:10.1044/vvd18.2.76



Hoit, J. D., Banzett, R. B., Lohmeier, H. L., Hixon, T. J., & Brown, R. (2003). Clinical ventilator adjustments that improve speech. *Chest*, 124(4), 1512-1521. doi:10.1378/chest.124.4.1512



Johnson, D. C., Campbell, S. L., & Rabkin, J. D. (2009). Tracheostomy tube manometry: Evaluation of speaking valves, capping and need for downsizing. *The Clinical Respiratory Journal*, 3(1), 8-14. doi:10.1111/j.1752-699x.2008.00100.x



Kamel, K. S., Beckert, L. E., & Stringer, M. D. (2009). Novel insights into the elastic and muscular components of the human trachea. *Clinical Anatomy*, 22(6), 689-697. doi:10.1002/ca.20841



Khalaila, R., Zbidat, W., Anwar, K., Bayya, A., Linton, D. M., & Svir, S. (2011). Communication difficulties and psychoemotional distress in patients receiving mechanical ventilation. *American Journal of Critical Care*, 20(6), 470-479. doi:10.4037/ajcc2011989



Kinneally, T. (2018). Do speaking valves reduce sedative drug use in ICU? A retrospective data analysis. *Australian Critical Care*, 31(2): 131-132.



Kobak, J. (2016). Swallowing and patients on mechanical ventilation: Something to chew on. *Dysphagia Café*.



Kowalski, S., El-Gabalawy, R., Macaulay, K., Thorkelsson, R., Robertson, A., Bshouty, Z., & Girling, L. (2017). Weaning from mechanical ventilation using tracheostomy cuff deflation and a one-way speaking valve: A historical-cohort series. *Canadian Journal of Anesthesia*, 64(12), 1286-1288. doi: 10.1007/s12630-017-0964-3



Laciuga, H., Rosenbek, J. C., Davenport, P. W., & Sapienza, C. M. (2014). Functional outcomes associated with expiratory muscle strength training: Narrative review. *Journal of Rehabilitation Research and Development*, 51(4), 535-546. doi:10.1682/jrrd.2013.03.0076



Lamberg, E. M., & Hagins, M. (2013). Breath control during a tiptoe task. *Physiotherapy Theory and Practice*, 30(3), 178-182. doi:10.3109/09593985.2013.834527



Leblanc, J., Shultz, J. R., Seresova, A., Guise, E. D., Lamoureux, J., Fong, N., ... Khwaja, K. (2010). Outcome in tracheostomized patients with severe traumatic brain injury following implementation of a specialized multidisciplinary tracheostomy team. *Journal of Head Trauma Rehabilitation*, 25(5), 362-365. doi:10.1097/htr.0b013e3181cd67ea



Lichtman, S. W., Birnbaum, I. L., Sanfilippo, M. R., Pellicone, J. T., Damon, W. J., & King, M. L. (1995). Effect of a tracheostomy speaking valve on secretions, arterial oxygenation, and olfaction: A quantitative evaluation. *Journal of Speech Language and Hearing Research*, 38(3), 549-555. doi:10.1044/jshr.3803.549



Limaye, S. S., Katz, P. (2006). Challenges of pain assessment and management in the minority elderly population. *Annals of Long-Term Care*, 14(11), 34.

-  Lord, R. K., Mayhew, C. R., Korupolu, R., Manthey, E. C., Friedman, M. A., Palmer, J. B., & Needham, D. M. (2013). ICU early physical rehabilitation programs. *Critical Care Medicine*, 41(3), 717-724. doi:10.1097/ccm.0b013e3182711de2
-     Mah, J. W., Staff, I. I., Fisher, S. R., & Butler, K. L. (2016). Improving decannulation and swallowing function: A comprehensive, multidisciplinary approach to post-tracheostomy care. *Respiratory Care*, 62(2), 137-143.
-    Manzano, J. L., Lubillo, S., Henríquez, D., Martín, J. C., Pérez, M. C., & Wilson, D. J. (1993). Verbal communication of ventilator-dependent patients. *Critical Care Medicine*, 21(4), 512-517. doi:10.1097/00003246-199304000-00009
-     Massery, M. (2014). Expert interview: The role of the Passy-Muir valve in physical therapy. *Talk Muir* (3 Feb. 2014): 2-4
-   Massery, M. (2006). Multisystem consequences of impaired breathing mechanics and/or postural control in cardiovascular and pulmonary physical therapy evidence and practice. (4th ed.) In Frownfeter, D. & Dean, E., (Eds.) St. Louis, MO: Elsevier Health Sciences, 695.
-  Massery, M., Hagins, M., Stafford, R., Moerchen, V., & Hodges, P. W. (2013). Effect of airway control by glottal structures on postural stability. *Journal of Applied Physiology*, 115(4), 483-490. doi:10.1152/jappphysiol.01226.2012
-    McGill Health Center. (2016). What is the evidence describing effectiveness of weaning techniques for tracheostomy decannulation in adult patients? *Rapid Review Evidence Summary*.
-    McGrath, B., Lynch, J., Wilson, M., Nicholson, L., & Wallace, S. (2016). Above cuff vocalisation: A novel technique for communication in the ventilator-dependent tracheostomy patient. *Journal of the Intensive Care Society*, 17(1), 19-26. doi:10.1177/1751143715607549
-     Mirzakhani, H., Williams, J., Mello, J., Joseph, S., Meyer, M. J., Waak, K., ... Eikermann, M. (2013). Muscle weakness predicts pharyngeal dysfunction and symptomatic aspiration in long-term ventilated patients. *Anesthesiology*, 119(2), 389-397. doi:10.1097/aln.0b013e31829373fe
-    Moore, K. (2016). *Interprofessional Patient Simulation Training Compared to Online Training for learning to use In-Line Speaking Valves*. Electronic Theses and Dissertations. ETSU Digital Commons: Tennessee.
-   Morris, P. E., Goad, A., Thompson, C., Taylor, K., Harry, B., Passmore, L., ... Haponik, E. (2008). Early intensive care unit mobility therapy in the treatment of acute respiratory failure. *Critical Care Medicine*, 36(8), 2238-2243. doi:10.1097/ccm.0b013e318180b90e
-   Morris, P. E., Griffin, L., Thompson, C., Hite, R. D., Haponik, E., Berry, M., ... Leach, S. (2011). Receiving early mobility during an intensive care unit admission is a predictor of improved outcomes in acute respiratory failure. *The American Journal of the Medical Sciences*, 341(5), 373-377. doi:10.1097/maj.0b013e31820ab4f6
-  Muz, J., Mathog, R. H., Rosen, R., Miller, P. R., & Borrero, G. (1987). Detection and quantification of laryngotracheopulmonary aspiration with scintigraphy. *The Laryngoscope*, 97(10), 1180-1185. doi:10.1288/00005537-198710000-00012
-   Nabozny, M. J., Barnato, A. E., Rathouz, P. J., Havlena, J. A., Kind, A. J., Ehlenbach, W. J., ... Schwarze, M. L. (2016). Trajectories and prognosis of older patients who have prolonged mechanical ventilation after high-risk surgery. *Critical Care Medicine*, 44(6), 1091-1097. doi:10.1097/ccm.0000000000001618
-   Needham, D. M. (2008). Mobilizing patients in the intensive care unit improving neuromuscular weakness and physical function. *Journal of the American Medical Association*, 300(14), 1685-1690. doi:10.1001/jama.300.14.1685
-   Needham, D. M., Korupolu, R., Zanni, J. M., Pradhan, P., Colantuoni, E., Palmer, J. B., ... Fan, E. (2010). Early physical medicine and rehabilitation for patients with acute respiratory failure: A quality improvement project. *Archives of Physical Medicine and Rehabilitation*, 91(4), 536-542. doi:10.1016/j.apmr.2010.01.002



Orlikoff, R. F. (2008). Voice production during a weightlifting and support task. *Folia Phoniatrica Et Logopaedica*, 60(4), 188-194. doi:10.1159/000128277



Passy, V., Baydur, A., Prentice, W., & Darnell-Neal, R. (1993). Passy-Muir tracheostomy speaking valve on ventilator-dependent patients. *The Laryngoscope*, 103(6), 653-658. doi:10.1288/00005537-199306000-00013



Perme, C., & Chandrashekar, R. K. (2008). Managing the patient on mechanical ventilation in ICU: Early mobility and walking program. *Acute Care Perspectives*, 17(1), 10-15.



Peruzzi, W., Logemann, J., Currie, D., & Moen, S. (2001). Assessment of aspiration in patients with tracheostomies: Comparison of bedside colored dye assessment with videofluoroscopic examination. *Respiratory Care*, 46(3), 243-247.



Peterson, M. C., Holbrook, J. H., Von Hales, D., Smith, N. L., & Staker, L. V. (1992). Contributions of the history, physical examination, and laboratory investigation in making medical diagnoses. *Western Journal of Medicine*, 156(2), 163-165.



Pitts, T., Bolser, D., Rosenbek, J., Troche, M., Okuri, M. S., & Sapienza, C. (2009). Impact of expiratory muscle strength training on voluntary cough and swallow function in Parkinson disease. *Chest*, 135(5), 1301-1308. doi:10.1378/chest.08-1389



Prigent, H., Lejaille, M., Terzi, N., Annane, D., Figere, M., Orlikowski, D., & Lofaso, F. (2011). Effect of a tracheostomy speaking valve on breathing–swallowing interaction. *Intensive Care Medicine*, 38(1), 85-90. doi:10.1007/s00134-011-2417-8



Rajajee, V., Williamson, C. A., & West, B. T. (2015). Impact of real-time ultrasound guidance on complications of percutaneous dilatational tracheostomy: A propensity score analysis. *Critical Care*, 19(1), 198. doi:10.1186/s13054-015-0924-7



Rodrigues, K. A., Machado, F. R., Chiari, B. M., Rosseti, H. B., Lorenzon, P., & Gonçalves, M. I. (2015). Swallowing rehabilitation of dysphagic tracheostomized patients under mechanical ventilation in intensive care units: A feasibility study. *Revista Brasileira De Terapia Intensiva*, 27(1), 64-71. doi:10.5935/0103-507x.20150011



Ross, J., & White, M. (2003). Removal of the tracheostomy tube in the aspirating spinal cord-injured patient. *Spinal Cord*, 41(11), 636-642. doi:10.1038/sj.sc.3101510



Sapienza, C., Trocher, M. (2012). *Respiratory Muscle Strength Training Theory and Practice*. San Diego, CA: Plural Publishing.



Santos, A., Harper, D., Gandy, S. & Buchanan, B. (2018). The positive impact of multidisciplinary tracheostomy team in the care of post-tracheostomy patients. *Critical Care Medicine*, 46(1): 1214.



Schellekens, W. M., Hees, H. W., Doorduyn, J., Roesthuis, L. H., Scheffer, G. J., Hoeven, J. G., & Heunks, L. M. (2016). Strategies to optimize respiratory muscle function in ICU patients. *Critical Care*, 20(1), 103. doi:10.1186/s13054-016-1280-y



Sciaky, A. J. (1994). Mobilizing the intensive care unit patient: Pathophysiology and treatment. *Physical Therapy Practice*, 3(2), 69-80.



Shaker, R., Milbrath, M., Ren, J., Campbell, B., Toohill, R., & Hogan, W. (1995). Deglutitive aspiration in patients with tracheostomy: Effect of tracheostomy on the duration of vocal cord closure. *Gastroenterology*, 108(5), 1357-1360. doi:10.1016/0016-5085(95)90682-7



Shea, M. & McDonald, D. D. (2010). Factors associated with increased pain communication by older adults. *Western Journal of Nursing Research*, 33(2), 196-206. doi:10.1177/0193945910372775



Siebens, A. A., Tippett, D. C., Kirby, N., & French, J. (1993). Dysphagia and expiratory air flow. *Dysphagia*, 8(3), 266-269. doi:10.1007/bf01354549



Speed, L., & Harding, K. E. (2013). Tracheostomy teams reduce total tracheostomy time and increase speaking valve use: A systematic review and meta-analysis. *Journal of Critical Care*, 28(2), 216.e1-10. doi:10.1016/j.jcrc.2012.05.005



Stachler, R. J., Hamlet, S. L., Choi, J., & Fleming, S. (1996). Scintigraphic quantification of aspiration reduction with the Passy-Muir valve. *The Laryngoscope*, 106(2), 231-234. doi:10.1097/00005537-199602000-00024



Stranix, J. T., Danziger, K., Dumbrava, V. L., Mars, G., Hirsch, D. L., & Levine, J. P. (2016). Technique to improve tracheostomy speaking valve tolerance after head and neck free flap reconstruction. *Plastic and Reconstructive Surgery – Global Open*, 4(12): e1082.



Suiter, D. M., Mccullough, G. H., & Powell, P. W. (2003). Effects of cuff deflation and one-way tracheostomy speaking valve placement on swallow physiology. *Dysphagia*, 18(4), 284-292. doi:10.1007/s00455-003-0022-x



Supinski, G. S., & Callahan, L. A. (2013). Diaphragm weakness in mechanically ventilated critically ill patients. *Critical Care*, 17(3), R120. doi:10.1186/cc12792



Sutt, A. L., Antsey, C., Caruana, L. R., Cornwell, P. L., & Fraser, J. (2017). Ventilation distribution and lung recruitment with speaking valve use in tracheostomised patient weaning from mechanical ventilation in intensive care. *Journal of Critical Care*, 40:164-170. doi:10.1016/j.jcrc.2017.04.001



Sutt, A., Caruana, L. R., Dunster, K. R., Cornwell, P. L., Anstey, C. M., & Fraser, J. F. (2016). Speaking valves in tracheostomised ICU patients weaning off mechanical ventilation - Do they facilitate lung recruitment? *Critical Care*, 20(1), 91. doi:10.1186/s13054-016-1249-x



Sutt, A., Caruana, L. R., Dunster, K. R., Cornwell, P. L., & Fraser, J. F. (2015). Improved lung recruitment and diaphragm mobility with an in-line speaking valve in tracheostomised mechanically ventilated patients – An observational study. *Australian Critical Care*, 28(1), 45. doi:10.1016/j.aucc.2014.10.021



Sutt, A., Cornwell, P. L., Caruana, L. R., Dunster, K. R., & Fraser, J. F. (2015). Speaking valves in mechanically ventilated ICU patients - Improved communication and improved lung recruitment. *American Journal of Respiratory Critical Care Medicine*, 191, A3162.



Sutt, A., Cornwell, P. L., Mullany, D., Kinneally, T., & Fraser, J. F. (2015). The use of tracheostomy speaking valves in mechanically ventilated patients results in improved communication and does not prolong ventilation time in cardiothoracic intensive care unit patients. *Journal of Critical Care*, 30(3), 491-494. doi:10.1016/j.jcrc.2014.12.017



Sutt, A., & Fraser, J. F. (2015). Speaking valves as part of standard care with tracheostomized mechanically ventilated patients in intensive care unit. *Journal of Critical Care*, 30(5), 1119-1120. doi:10.1016/j.jcrc.2015.06.015



Tembo, A. C., Higgins, I., & Parker, V. (2015). The experience of communication difficulties in critically ill patients in and beyond intensive care: Findings from a larger phenomenological study. *Intensive and Critical Care Nursing*, 31(3), 171-178. doi:10.1016/j.iccn.2014.10.004



Tolep, K., Getch, C. L., & Criner, G. J. (1996). Swallowing dysfunction in patients receiving prolonged mechanical ventilation. *Chest*, 109(1), 167-172. doi:10.1378/chest.109.1.167



Trees, D. W., Smith, J. M., & Hockert, S. (2013). Innovative mobility strategies for the patient with intensive care unit-acquired weakness: A case report. *Physical Therapy*, 93(2), 237-247. doi:10.2522/ptj.20110401



Vargas, M. & Servillo, G. (2016). One-way, positive-pressure speaking valve during mechanical ventilation via tracheostomy tube: Risks or benefits? *Critical Care Medicine*, 44(11): e1146-e1147.



Wheeler Hegland, K., Huber, J. E., Pitts, T., & Sapienza, C. M. (2009). Lung volume during swallowing: Single bolus swallows in healthy young adults. *Journal of Speech, Language and Hearing Research*, 52(1), 178-187. doi:10.1044/1092-4388(2008/07-0165)



Yu, M. (2010). Tracheostomy patients on the ward: Multiple benefits from a multidisciplinary team? *Critical Care*, 14(1), 109. doi:10.1186/cc8218



Zilberberg, M. D., & Shorr, A. F. (2008). Prolonged acute mechanical ventilation and hospital bed utilization in 2020 in the United States: Implications for budgets, plant and personnel planning. *BMC Health Services Research*, 8(1), 242. doi:10.1186/1472-6963-8-242

