











Freeman-Sanderson, A. L., Togher, L., Elkins, M. R., & Phipps, P. R. (2015). An intervention to allow early speech in ventilated tracheostomy patients in an Australian intensive care unit (ICU): A randomised controlled trial. *Australian Critical Care*, 119, A 6420.



Freeman-Sanderson, A. L., Togher, L., Elkins, M. R., & Phipps, P. R. (2016). An intervention to allow early speech in ventilated tracheostomy patients in an Australian intensive care unit (ICU): A randomised controlled trial. *Australian Critical Care*, 29(2), 114. <https://doi.org/10.1016/j.aucc.2015.12.012>



Freeman-Sanderson, A. L., Togher, L., Elkins, M. R., & Phipps, P. R. (2016). Quality of life improves with return of voice in tracheostomy patients in intensive care: An observational study. *Journal of Critical Care*, 33, 186-191. <https://doi.org/10.1016/j.jcrrc.2016.01.012>



Freeman-Sanderson, A. L., Togher, L., Elkins, M. R., & Phipps, P. R. (2016). Return of voice for ventilated tracheostomy patients in ICU: A randomized, controlled trial of early-targeted intervention. *Critical Care Medicine*, 44(6), 1075-1081. <https://doi.org/10.1097/ccm.0000000000001610>



Freeman-Sanderson, A., Ward, E.C., Miles, A., de Pedro Netto, I., Duncan, S., Inamoto, Y., McRae, J., Pillay, N., Skoretz, S.A., Walshe, M., & Brodsky, M.B. (2021). A consensus statement for the management and rehabilitation of communication and swallowing function in the ICU: A global response to COVID-19. *Archives of Physical Medicine and Rehabilitation*, 102(5), 835-842. <https://doi.org/10.1016/j.apmr.2020.10.113>



Fröhlich, M. R., Boksberger, H., Barfuss-Schneider, C., Liem, E., & Petry, H. (2017). Safe swallowing and communicating for ventilated intensive care patients with tracheostoma: Implementation of the Passy Muir speaking valve. *Pflege*, 30(6), 87-394. <https://doi.org/10.1024/1012-5302/a000589>



Fuller, C., Wineland, A. M., & Richter, G. T. (2021). Update on pediatric tracheostomy: Indications, technique, education, and decannulation. *Current Otorhinolaryngology Reports*, 9(2), 188-199. <https://doi.org/10.1007/s40136-021-00340-y>



Gandevia, S. C., Butler, J. E., Hodges, P. W., & Taylor, J. L. (2002). Balancing acts: Respiratory sensations, motor control and human posture. *Clinical and Experimental Pharmacology and Physiology*, 29(1-2), 118-121. <https://doi.org/10.1046/j.1440-1681.2002.03611.x>



Geddes, L., O'Brien, K., Reid, W. D., Brooks, D., & Crowe, J. (2008). Inspiratory muscle training in adults with chronic obstructive pulmonary disease: An update of a systematic review. *Respiratory Medicine*, 102(12), 1715-1729. <https://doi.org/10.1016/j.rmed.2008.07.005>



Girard, T. D., Alhazzani, W., Kress, J. P., Ouellette, D. R., Schmidt, G. A., Truwit, J. D., Nurns, S. M., Epstein, S. K., Esteban, A., Fan, E., Ferrer, M., Fraser, G. L., Gong, M. N., Hough, C. L., Mehta, S., Nanchal, R., Patel, S., Pawlik, A. J., Schweickert, W. D., Sessler, C., N., Morris, P. E. (2017). An official American Thoracic Society/American College of Chest Physicians clinical practice guideline: Liberation from mechanical ventilation in critically ill adults: Rehabilitation protocols, ventilator liberation protocols, and cuff leak tests. *American Journal of Respiratory Critical Care Medicine*, 195, 120-133.



Goff, P., & Patterson, J. (2019). Eating and drinking with an inflated tracheostomy cuff: A systematic review of the aspiration risk. *International Journal of Language and Communication Disorders*, 54(1), 30-40. <https://doi.org/10.1111/1460-6984.12430>



Goldman, R. A., Swendseid, B., Chan, J. Y., Lewandowski, M., Adams, J., Purcell, M., & Cagnetti, D. M. (2020). Tracheostomy management during the COVID-19 pandemic. *Otolaryngology-Head and Neck Surgery*, 163(1), 67-69. <https://doi.org/10.1177/0194599820923632>



Gomes, R. H. S., de Siqueira Aoki, M. C., Santos, R. S., & Motter, A. A. (2016). The communication of the tracheostomized patient: an integrated review. *Revista CEFAC: Speech, Language, and Hearing Sciences and Education Journal*, 18(5). <http://dx.doi.org/10.1590/1982-021620161851916>



Goode-Roberts, M., Bickel, S. G., Stout, D. L., Calvery, M. L., Thompson, J. E., & Behrman, A. L. (2021). Impact of activity-based therapy on respiratory outcomes in a medically complex child. *Children*, 8(1), 36. <https://doi.org/10.3390/children8010036>



Greene, Z. M., Davenport, J., Fitzgerald, S., Russell, J. D., & McNally, P. (2019). Tracheostomy speaking valve modification in children: A standardized approach leads to widespread use. *Pediatric Pulmonology*, 54(4), 428-435. <https://doi.org/10.1002/ppul.24209>



Grewal, J., Sutt, A. L., Cornmell, G., Shekar, K., & Fraser, J. (2020). Safety and putative benefits of tracheostomy tube placement in patients on extracorporeal membrane oxygenation: A single-center experience. *Journal of Intensive Care Medicine*, 35(11), 1153 – 1161. <https://doi.org/10.1177/0885066619837939>



Griffiths, R. D., & Jones, C. (1999). ABC of intensive care: Recovery from intensive care. *British Medical Journal*, 319(7207), 427-429. <https://doi.org/10.1136/bmj.319.7207.427>



Griffiths, R. D., Palmer, T. E., Helliwell, T., MacLennan, P., & MacMillan, R. R. (1995). Effect of passive stretching on the wasting of muscle in the critically ill. *Nutrition*, 11(5), 428-432. [https://doi.org/10.1016/s0899-9007\(96\)00372-3](https://doi.org/10.1016/s0899-9007(96)00372-3)



Gross, R. D., Atwood, C. W., Grayhack, J. P., Jr., & Shaiman, S. (2003). Lung volume effects on pharyngeal swallowing physiology. *Journal of Applied Physiology*, 95(6), 2211-2217. <https://doi.org/10.1152/jappphysiol.00316.2003>



Gross, R. D., Atwood, C. W., Jr., Ross, S. B., Olszewski, J. W., & Eichhorn, K. A. (2009). The coordination of breathing and swallowing in chronic obstructive pulmonary disease. *American Journal of Respiratory and Critical Care Medicine*, 179(7), 559-565. <https://doi.org/10.1164/rccm.200807-1139oc>



Gross, R. D., Mahlmann, J., & Grayhack, J. P. (2003). Physiologic effects of open and closed tracheostomy tubes on the pharyngeal swallow. *Annals of Otolaryngology, Rhinology & Laryngology*, 112(2), 143-152. <https://doi.org/10.1177/000348940311200207>



Gross, R. D., Steinhauer, K. M., Zajac, D. J., & Weissler, M. C. (2006). Direct measurement of subglottic air pressure while swallowing. *The Laryngoscope*, 116(5), 753-761. <https://doi.org/10.1097/01mlg.0000205168.39446.12>



Grossbach, I., Stranberg, S., & Chlan, L. (2010). Promoting effective communication for patients receiving mechanical ventilation. *Critical Care Nurse*, 31(3), 46-60. <https://doi.org/10.4037/ccn2010728>



Grosu, H. B., Lee, Y. I., Lee, J., Eden, E., Eikermann, M., & Rose, K. M. (2012). Diaphragm muscle thinning in patients who are mechanically ventilated. *Chest*, 142(6), 1455-1460. <https://doi.org/10.1378/chest.11-1638>



Guia, M., Ciobanu, L.D., Sreedharan, J.K., Abdelrahim, M.E., Gonçalves, G., Cabrita, B., Alqahtani, J.S., Duan, J., El-Khatib, M., Diaz-Abad, M., & Wittenstein, J. (2021). The role of non-invasive ventilation in weaning and decannulating critically ill patients with tracheostomy: A narrative review of the literature. *Pulmonology*, 27(1), 43-51. <https://doi.org/10.1016/j.pulmoe.2020.07.002>



Guttormson, J. L., Bremer, K. L., & Jones, R. M. (2015). "Not being able to talk was horrid": A descriptive, correlational study of communication during mechanical ventilation. *Intensive and Critical Care Nursing*, 31(3), 179-186. <https://doi.org/10.1016/j.iccn.2014.10.007>



Hagins, M., & Lamberg, E. M. (2006). Natural breath control during lifting tasks: Effect of load. *European Journal of Applied Physiology*, 96(4), 453-458. <https://doi.org/10.1007/s00421-005-0097-1>



Hagins, M., Pietrek, M., Sheikhzadeh, A., Nordin, M., & Axen, K. (2004). The effects of breath control on intra-abdominal pressure during lifting tasks. *Spine*, 29(4), 464-469. <https://doi.org/10.1097/01.brs.0000092368.90019.d8>



Hamaoui, A., Gonneau, E., & Bozec, S. L. (2010). Respiratory disturbance to posture varies according to the respiratory mode. *Neuroscience Letters*, 475(3), 141-144. <https://doi.org/10.1016/j.neulet.2010.03.064>



Hårdemark Cedborg, A., Sundman, E., Bodén, K., Hedström, H. W., Kuylenstierna, R., Ekberg, O., & Eriksson, L. I. (2009). Co-ordination of spontaneous swallowing with respiratory airflow and diaphragmatic and abdominal muscle activity in healthy adult humans. *Experimental Physiology*, 94(4), 459-468. <https://doi.org/10.1113/expphysiol.2008.045724>



Hashmi, N. K., Ransom, E., Nardone, H., Redding, N., & Mirza, N. (2010). Quality of life and self-image in patients undergoing tracheostomy. *The Laryngoscope*, 120(S4). <https://doi.org/10.1002/lary.21663>



HCAHPS. (2016). Patients' perspectives of care survey - Centers for Medicare & Medicaid services. Retrieved April 8, 2016, from <https://www.cms.gov/Medicare/Quality-Initiatives-Patient-Assessment-instruments/HospitalQualityInits/HospitalHCAHPS.html>



Heffner, J. E. (2005). Management of the chronically ventilated patient with a tracheostomy. *Chronic Respiratory Disease*, 2(3), 151-161. <https://doi.org/10.1191/1479972305cd084ra>



Henningfeld, J., Lang, C., Erato, G., Silverman, A. H., & Goday, P. S. (2021). Feeding disorders in children with tracheostomy tubes. *Nutrition in Clinical Practice*, 36(3), 689-695. <https://doi.org/10.1002/ncp.10551>



Hernandez, G., Pedrosa, A., Ortiz, R., Accuaroni, M. D., Cuena, R., Collado, C. V., Plaza, S. G., Arenas, P. G., & Fernandez, R. (2013). The effects of increasing effective airway diameter on weaning from mechanical ventilation in tracheostomized patients: A randomized controlled trial. *Intensive Care Medicine*, 39(6), 1063-1070. <https://doi.org/10.1007/s00134-013-2870-7>



Hiss, S. G., Strauss, M., Treole, K., Stuart, A., & Boutilier, S. (2003). Swallowing apnea as a function of airway closure. *Dysphagia*, 18(4), 293-300. <https://doi.org/10.1007/s00455-003-0021-y>



Hodges, P. W., & Gandevia, S. C. (2000). Changes in intra-abdominal pressure during postural and respiratory activation of the human diaphragm. *Journal of Applied Physiology*, 89(3), 967-976.



Hofmann, L., Bolton, J., & Ferry, S. (2008). Passy-Muir speaking valve use in a children's hospital: An interdisciplinary approach. *Perspectives: ASHA*, 18(2), 76-86. <https://doi.org/10.1044/vvd18.2.76>



Hoit, J. D., Banzett, R. B., Lohmeier, H. L., Hixon, T. J., & Brown, R. (2003). Clinical ventilator adjustments that improve speech. *Chest*, 124(4), 1512-1521. <https://doi.org/10.1378/chest.124.4.1512>



Holmes, T. R., Cumming, B. D., Sideris, A. W., Lee, J. W., Briggs, N. E., & Havas, T. E. (2019). Multidisciplinary tracheotomy teams: An analysis of patient outcomes and resource allocation. *Ear, Nose & Throat Journal*, 98(4), 232-237. <https://doi.org/10.1177/0145561319840103>



Howard, M. M., Phillips, J., Henley, S., Green, S., & Rosario, E. (2021). Impact of osteophylectomy on swallowing function in a patient with chronic dysphagia. *OBM Geriatrics*, 5(3). <https://doi.org/10.21926/obm.geri.2103175>



Irish Association of Speech & Language Therapists. (2022). *Tracheostomy management: Clinical guideline 2017*. [https://www.stjames.ie/media/IASLT%20Tracheostomy\\_Guidelines-7-DEC-2017%20\(2\).pdf](https://www.stjames.ie/media/IASLT%20Tracheostomy_Guidelines-7-DEC-2017%20(2).pdf)



Istanboulian, L., Rose, L., Gorospe, F., Yunusova, Y., & Dale, C. M. (2020). Barriers to and facilitators for the use of augmentative and alternative communication and voice restorative strategies for adults with an advanced airway in the intensive care unit: A scoping review. *Journal of Critical Care*, 57, 168 – 176. <https://doi.org/10.1016/j.jcrc.2020.02.015>



Janssens, J-P., Michel, F., Schwarz, E. I., Prella, M., Bloch, K., Adler, D., Brill, A-K., Geenens, A., Karrer, W., Ognja, A., Ott, S., Rudiger, J., Schoch, O. D., Soler, M., Strobel, W., Uldry, C., & Gex, G. (2020). Long-term mechanical ventilation: Recommendations of the Swiss Society of Pulmonology. *Respiration*, 99, 867 – 902. <https://doi.org/10.1159/000510086>



Johnson, D. C., Campbell, S. L., & Rabkin, J. D. (2009). Tracheostomy tube manometry: Evaluation of speaking valves, capping and need for downsizing. *The Clinical Respiratory Journal*, 3(1), 8-14. <https://doi.org/10.1111/j.1752-699x.2008.00100.x>



Kam, K., Patzelt, R., & Soenen, R. (2022). Pediatric tracheostomy speaking valves: A multidisciplinary protocol leads to earlier initial trials. *Journal of Child Health Care*. <https://doi.org/10.1177/13674935211070416>



Kamel, K. S., Beckert, L. E., & Stringer, M. D. (2009). Novel insights into the elastic and muscular components of the human trachea. *Clinical Anatomy*, 22(6), 689-697. <https://doi.org/10.1002/ca.20841>



Kennedy, A., Hart, C. K., de Alarcon, A., Balakrishnan, K., Boudewyns, A., Chun, R., Fayouix, P., Goudy, S. L., Hartnick, C., Hsu, W., Johnson, R. F., Kuo, M., Peer, S., Pransky, S. M., Rahbar, R., Rickert, S., Roy, S., Russell, J., Sandu, K., Sidell, D. ... Rutter, M. J. (2021). International pediatric otolaryngology group (IPOG) management recommendations: Pediatric tracheostomy decannulation. *International Journal of Pediatric Otorhinolaryngology*, 141, 110565. <https://doi.org/10.1016/j.ijporl.2020.110565>



Khalaila, R., Zbidat, W., Anwar, K., Bayya, A., Linton, D. M., & Sviri, S. (2011). Communication difficulties and psychoemotional distress in patients receiving mechanical ventilation. *American Journal of Critical Care*, 20(6), 470-479. <https://doi.org/10.4037/ajcc2011989>



Kinneally, T. (2018). Do speaking valves reduce sedative drug use in ICU? A retrospective data analysis. *Australian Critical Care*, 31(2), 131-132.



Knott, J.M., & Parker, C. R. (2019). Speech-language pathologists and respiratory therapists: Team approach to caring for patients with long-term tracheostomy. *Journal of Public Health in the Deep South*, 1(1). <https://journals.library.msstate.edu/index.php/jphds/article/view/888>



Kolb, C.M., Halbert, K., Xaio, W., Strang, A. R., & Briddell, J. W. (2021). Comparing decannulation failures and successes in pediatric tracheostomy: An 18-year experience. *Pediatric Pulmonology*, 56, 2761 – 2768. <https://doi.org/10.1002/ppul.25170>



Korupolu, R., Stampus, A., Jimenez, I. H., Cruz, D., Di Gusto, M.L., Verduzco-Gutierrez, M., & Davis, M.E. (2021). Mechanical ventilation and weaning practices for adults with spinal cord injury – An international survey. *Journal of the International Society of Physical and Rehabilitation Medicine*, 4, 131-140. <https://doi.org/10.4103/JISPRM-000124>



Kowalski, S., El-Gabalawy, R., Macaulay, K., Thorkelsson, R., Robertson, A., Bshouty, Z., & Girling, L. (2017). Weaning from mechanical ventilation using tracheostomy cuff deflation and a one-way speaking valve: A historical-cohort series. *Canadian Journal of Anesthesia*, 64(12), 1286-1288. <https://doi.org/10.1007/s12630-017-0964-3>



Laciuga, H., Rosenbek, J. C., Davenport, P. W., & Sapienza, C. M. (2014). Functional outcomes associated with expiratory muscle strength training: Narrative review. *Journal of Rehabilitation Research and Development*, 51(4), 535-546. <https://doi.org/10.1682/jrrd.2013.03.0076>



Lamberg, E. M., & Hagins, M. (2013). Breath control during a tiptoe task. *Physiotherapy Theory and Practice*, 30(3), 178-182. <https://doi.org/10.3109/09593985.2013.834527>



Leblanc, J., Shultz, J. R., Seresova, A., Guise, E. D., Lamoureux, J., Fong, N., ... Khwaja, K. (2010). Outcome in tracheostomized patients with severe traumatic brain injury following implementation of a specialized multidisciplinary tracheostomy team. *Journal of Head Trauma Rehabilitation*, 25(5), 362-365. <https://doi.org/10.1097/htr.0b013e3181cd67ea>



Li, J., Perez, A., Schehl, J., Albers, A., & Husain, I. A. (2021). The association between upper airway patency and speaking valve trial tolerance for patients with tracheostomy: A clinical retrospective study and an in vitro study. *American Journal of Speech-Language Pathology*, 30(4), 1728-1736. [https://doi.org/10.1044/2021\\_AJSLP-20-00331](https://doi.org/10.1044/2021_AJSLP-20-00331)



Li, L., Wikner, E., Behzadpour, H., Perez, G., & Mudd, P. (2021). Decrease in respiratory related hospitalizations in tracheostomy-dependent children who tolerate Passy-Muir Valve use. *The Annals of Otolaryngology, Rhinology, and Laryngology*, 130(6), 623–628. <https://doi.org/10.1177/0003489420966612>



Lichtman, S. W., Birnbaum, I. L., Sanfilippo, M. R., Pellicone, J. T., Damon, W. J., & King, M. L. (1995). Effect of a tracheostomy speaking valve on secretions, arterial oxygenation, and olfaction: A quantitative evaluation. *Journal of Speech Language and Hearing Research*, 38(3), 549-555. <https://doi.org/10.1044/jshr.3803.549>



Limaye, S. S., & Katz, P. (2006). Challenges of pain assessment and management in the minority elderly population. *Annals of Long-Term Care*, 14(11), 34.



Lord, R. K., Mayhew, C. R., Korupolu, R., Manthey, E. C., Friedman, M. A., Palmer, J. B., & Needham, D. M. (2013). ICU early physical rehabilitation programs. *Critical Care Medicine*, 41(3), 717-724. <https://doi.org/10.1097/ccm.0b013e3182711de2>



Mah, J. W., Staff, I. I., Fisher, S. R., & Butler, K. L. (2016). Improving decannulation and swallowing function: A comprehensive, multidisciplinary approach to post-tracheostomy care. *Respiratory Care*, 62(2), 137-143.





Manzano, J. L., Lubillo, S., Henríquez, D., Martín, J. C., Pérez, M. C., & Wilson, D. J. (1993). Verbal communication of ventilator-dependent patients. *Critical Care Medicine*, 21(4), 512-517. <https://doi.org/10.1097/00003246-199304000-00009>



Martin, K. A., Cole, T., Percha, C. M., Asanuma, N., Mattare, K., Hager, D. N., Brenner, M. J., & Pandian, V. (2021). Standard versus accelerated speaking valve placement after percutaneous tracheostomy: A randomized controlled feasibility study. *Annals of the American Thoracic Society*, 18(10), 1693 – 1701. <https://doi.org/10.1513/AnnalsATS.202010-1282OC>



Massery, M. (2014). Expert interview: The role of the Passy-Muir Valve in physical therapy. *Talk Muir* (3 Feb. 2014): 2-4



Massery, M. (2006). Multisystem consequences of impaired breathing mechanics and/or postural control in cardiovascular and pulmonary physical therapy evidence and practice. (4th ed.) In Frownfeter, D. & Dean, E., (Eds.) St. Louis, MO: Elsevier Health Sciences, 695.



Massery, M., Hagins, M., Stafford, R., Moerchen, V., & Hodges, P. W. (2013). Effect of airway control by glottal structures on postural stability. *Journal of Applied Physiology*, 115(4), 483-490. <https://doi.org/10.1152/jappphysiol.01226.2012>



McGill Health Center. (2016). What is the evidence describing effectiveness of weaning techniques for tracheostomy decannulation in adult patients? *Rapid Review Evidence Summary*.



McGrath, B. A., Ashby, N., Birchall, M., Dean, P., Doherty, C., Ferguson, K., Gimblett, J., Grocott, M., Jacob, T., Kerawala, C., Macnaughton, P., Magennis, P., Moonsinghe, R., Twose, P., Wallace, S., & Higgs, A. (2020). Multidisciplinary guidance for safe tracheostomy care during the COVID-19 pandemic: The NHS National Patient Safety Improvement Programme (NatPatSIP). *Anaesthesia*, 75(12), 1659 -1670. <https://doi.org/10.1111/anae.15120>



McGrath, B. A., Brenner, M.J., Warrillow, S.J., Pandian, V., Arora, A., Cameron, T.S., Añon, J. M., Martínez, G. H., Truog, R. D., Block, S. D., Lui, G.C., McDonald, C., Rassekh, C. H., Atkins, J., Qiang, L., Vergez, S., Dulguerov, P., Zenk, J., Antonelli, M., Pelosi, P., ... Feller-Kopman, D. J. (2020). Tracheostomy in the COVID-19 era: Global and multidisciplinary guidance. *The Lancet Respiratory Medicine*, 8(7), 717-725. [https://doi.org/10.1016/S2213-2600\(20\)30230-7](https://doi.org/10.1016/S2213-2600(20)30230-7)



McGrath, B., Lynch, J., Wilson, M., Nicholson, L., & Wallace, S. (2016). Above cuff vocalisation: A novel technique for communication in the ventilator-dependent tracheostomy patient. *Journal of the Intensive Care Society*, 17(1), 19-26. <https://doi.org/10.1177/1751143715607549>



McGrath, B. A., Wallace, S., Lynch, J., Bonvento, B., Coe, B., Owen, A., Firn, M., Brenner, M. J., Edwards, E., Finch, T. L., Cameron, T., Narula, A., & Roberson, D. W. (2020). Improving tracheostomy care in the United Kingdom: Results of a guided quality improvement programme in 20 diverse hospitals. *British Journal of Anaesthesia*, 125(1), e119-e129. <https://doi.org/10.1016/j.bja.2020.04.064>



McGrath, B. A., Wallace, S., Wilson, M., Nicholson, L., Felton, T., Bowyer, C., & Bentley, A. M. (2019). Safety and feasibility of above cuff vocalisation for ventilator-dependant patients with tracheostomies. *Journal of the Intensive Care Society*, 20(1), 59-65. <https://doi.org/10.1177/1751143718767055>



McRae, J., Montgomery, E., Garstand, Z., & Cleary, E. (2020). The role of speech and language therapists in the intensive care unit. *Journal of the Intensive Care Society*, 21(4), 344-348. <https://doi.org/10.1177/1751143719875687>



McRae, J., Smith, C., Beeke, S., & Emmanuel, A. (2019). Oropharyngeal dysphagia management in cervical spinal cord injury patients: An exploratory survey of variations to care across specialised and non-specialised units. *Spinal Cord Series and Cases*, 5(31). <https://doi.org/10.1038/s41394-019-0175-y>



Meister, K. D., Pandian, V., Hillel, A. T., Walsh, B. K., Brodsky, M. B., Balakrishnan, K., Best, S. R., Chinn, S. B., Cramer, J. D., Graboyes, E. M., McGrath, B. A., Rassekh, C. H., Bedwell, J. R., & Brenner, M. J. (2021). Multidisciplinary safety recommendations after tracheostomy during COVID-19 pandemic: State of the art review. *Otolaryngology–Head and Neck Surgery*, 164(5), 984-1000. <https://doi.org/10.1177/1751143720961990>



Mélotte, E. (2021). *Contribution to the study of the links between consciousness and swallowing* [Doctoral dissertation, Université de Liège, Liège, Belgique]. ORBi.



Miles, A., McRae, J., Clunie, G., Gillivan-Murphy, P., Inamoto, Y., Kalf, H., Pillay, M., Pownall, S., Ratcliffe, P., Richard, T., Robinson, U., Wallace, S., & Brodsky, M.B. (2022). An international commentary on dysphagia and dysphonia during the COVID-19 pandemic. *Dysphagia*, 1-26. <https://doi.org/10.1007/s00455-021-10396-z>



Mirzakhani, H., Williams, J., Mello, J., Joseph, S., Meyer, M. J., Waak, K., Schmidt, U., Kelly, E., & Eikermann, M. (2013). Muscle weakness predicts pharyngeal dysfunction and symptomatic aspiration in long-term ventilated patients. *Anesthesiology*, 119(2), 389-397. <https://doi.org/10.1097/aln.0b013e31829373fe>



Mohapatra, B. & Mohan, R. (2020). Speech-language pathologists' role in the multi-disciplinary management and rehabilitation of patients with COVID-19. *Journal of Rehabilitation Medicine - Clinical Communications*, 3. <https://doi.org/10.2340/20030711-1000037>



Mooney, B., Lawrence, C., Johnson, E. G., Slaboden, A., & Ball, K. (2020). How COVID-19 patients were moved to speak: A rehabilitation interdisciplinary case series. *HSS Journal*, 16(Supp 1), 56-63. <https://doi.org/10.1007/s11420-020-09778-0>



Moore, K. (2016). *Interprofessional Patient Simulation Training Compared to Online Training for learning to use In-Line Speaking Valves*. Electronic Theses and Dissertations. ETSU Digital Commons: Tennessee.



Morris, P. E., Goad, A., Thompson, C., Taylor, K., Harry, B., Passmore, L., Ross, A., Anderson, L., Baker, S., Sanchez, M., Penley, L., Howard, A., Dixon, L., Leach, S., Samll, R., Hite, R. D., & Haponik, E. (2008). Early intensive care unit mobility therapy in the treatment of acute respiratory failure. *Critical Care Medicine*, 36(8), 2238-2243. <https://doi.org/10.1097/ccm.0b013e318180b90e>



Morris, P. E., Griffin, L., Berry, M., Thompson, C., Hite, R. D., Winkelman, C., Hopkins, R. O., Ross, A., Dixon, L., Leach, S., & Haponik, E. (2011). Receiving early mobility during an intensive care unit admission is a predictor of improved outcomes in acute respiratory failure. *The American Journal of the Medical Sciences*, 341(5), 373-377. <https://doi.org/10.1097/maj.0b013e31820ab4f6>



Morrow, E.L., Hereford, A.P., Covington, N. V., & Duff, M.C. (2020). Traumatic brain injury in the acute care setting: Assessment and management practices of speech-language pathologists. *Brain Injury*, 34(12), 1590-1609. <https://doi.org/10.1080/02699052.2020.1766114>



Muz, J., Mathog, R. H., Rosen, R., Miller, P. R., & Borrero, G. (1987). Detection and quantification of laryngotracheopulmonary aspiration with scintigraphy. *The Laryngoscope*, 97(10), 1180-1185. <https://doi.org/10.1288/00005537-198710000-00012>



Nabozny, M. J., Barnato, A. E., Rathouz, P. J., Havlena, J. A., Kind, A. J., Ehlenbach, W. J., Zhao, Q., Ronk, K., Smith, M. A., Greenberg, C. C., & Schwarze, M. L. (2016). Trajectories and prognosis of older patients who have prolonged mechanical ventilation after high-risk surgery. *Critical Care Medicine*, 44(6), 1091-1097. <https://doi.org/10.1097/ccm.0000000000001618>



Needham, D. M. (2008). Mobilizing patients in the intensive care unit improving neuromuscular weakness and physical function. *Journal of the American Medical Association*, 300(14), 1685-1690. <https://doi.org/10.1001/jama.300.14.1685>



Needham, D. M., Korupolu, R., Zanni, J. M., Pradhan, P., Colantuoni, E., Palmer, J. B., Brower, R. G., & Fan, E. (2010). Early physical medicine and rehabilitation for patients with acute respiratory failure: A quality improvement project. *Archives of Physical Medicine and Rehabilitation*, 91(4), 536-542. <https://doi.org/10.1016/j.apmr.2010.01.002>



Nelson-McMillan, K., Vricella, L. A., Stewart, F. D., Young, J., Shah, A. S., Hibino, N., & Coulson, J. D. (2020). Recovery from total acute lung failure after 20 months of extracorporeal life support. *ASAIO Journal*, 66(1), e11-e14. <https://doi.org/10.1097/MAT.0000000000000990>



Nieto, K., Ang, D., & Liu, H. (2022). Dysphagia among geriatric trauma patients: A population-based study. *Plos One*, 17(2). <https://doi.org/10.1371/journal.pone.0262623>



O'Connor, L. R., Morris, N. R., & Paratz, J. (2019). Physiological and clinical outcomes associated with use of one-way speaking valves on tracheostomised patients: A systematic review. *Heart & Lung*, 48(4), 356-364. <https://doi.org/10.1016/j.hrtlng.2018.11.006>



O'Connor, L. R., Morris, N., & Paratz, J. (2021). The safety and efficacy of prolonged use of one-way speaking valves. *Australian Critical Care*, 34(4), 319-326. <https://doi.org/10.1016/j.aucc.2020.09.003>



Orlikoff, R. F. (2008). Voice production during a weightlifting and support task. *Folia Phoniatrica Et Logopaedica*, 60(4), 188-194. <https://doi.org/10.1159/000128277>



Pandian, V., Boisen, S., Mathews, S., & Brenner, M. J. (2019). Speech and safety in tracheostomy patients receiving mechanical ventilation: A systematic review. *American Journal of Critical Care*, 28(6), 441-450. <https://doi.org/10.4037/ajcc2019892>



Pandian, V., Boisen, S., Mathews, S., & Cole, T. (2019). Are fenestrated tracheostomy tubes still valuable? *American Journal of Speech-Language Pathology*, 28(3), 1019-1028. [https://doi.org/10.1044/2019\\_AJSLP-18-0187](https://doi.org/10.1044/2019_AJSLP-18-0187)



Pandian, V., Cole, T., Kilonsky, D., Holden, K., Feller-Kopman, D. J., Brower, R., & Mirski, M. (2020). Voice-related quality of life increases with a talking tracheostomy tube: A randomized controlled trial. *The Laryngoscope*, 130(5), 1249-1255. <https://doi.org/10.1002/lary.28211>



Passy, V., Baydur, A., Prentice, W., & Darnell-Neal, R. (1993). Passy-Muir tracheostomy speaking valve on ventilator-dependent patients. *The Laryngoscope*, 103(6), 653-658. <https://doi.org/10.1288/00005537-199306000-00013>



Perme, C., & Chandrashekar, R. K. (2008). Managing the patient on mechanical ventilation in ICU: Early mobility and walking program. *Acute Care Perspectives*, 17(1), 10-15.



Peruzzi, W., Logemann, J., Currie, D., & Moen, S. (2001). Assessment of aspiration in patients with tracheostomies: Comparison of bedside colored dye assessment with videofluoroscopic examination. *Respiratory Care*, 46(3), 243-247.



Peterson, M. C., Holbrook, J. H., Von Hales, D., Smith, N. L., & Staker, L. V. (1992). Contributions of the history, physical examination, and laboratory investigation in making medical diagnoses. *Western Journal of Medicine*, 156(2), 163-165.



Petosic, A., Viravong, M. F., Martin, A. M., Nilsen, C. B., Olafsen, K., & Berntzen, H. (2021). Above cuff vocalisation (ACV): A scoping review. *Acta Anaesthesiologica Scandinavica*, 65(1), 15-25. <https://doi.org/10.1111/aas.13706>



Pincherle, A., Jöhr, J., Pancini, L., Leocani, L., Dalla Vecchia, L., Ryvlin, P., Schiff, N.D., & Diserens, K. (2020). Intensive care admission and early neuro-rehabilitation. Lessons for COVID-19? *Frontiers in Neurology*, 11, 880. <https://doi.org/10.3389/fneur.2020.00880>



Pitts, T., Bolser, D., Rosenbek, J., Troche, M., Okuri, M. S., & Sapienza, C. (2009). Impact of expiratory muscle strength training on voluntary cough and swallow function in Parkinson disease. *Chest*, 135(5), 1301-1308. <https://doi.org/10.1378/chest.08-1389>



Prigent, H., Lejaille, M., Terzi, N., Annane, D., Figere, M., Orlikowski, D., & Lofaso, F. (2011). Effect of a tracheostomy speaking valve on breathing-swallowing interaction. *Intensive Care Medicine*, 38(1), 85-90. <https://doi.org/10.1007/s00134-011-2417-8>



Pronello, D. R., Gimenez, G., Prado, F., Salinas, P., Herrero, M. V., & Bach, J. R. (2020). Tracheostomy in children: The challenges of decanulation, revision and work proposal. *Neumologia Pediatrica*, 14(3), 164 – 174. <https://www.researchgate.net/publication/340435449>



Rajajee, V., Williamson, C. A., & West, B. T. (2015). Impact of real-time ultrasound guidance on complications of percutaneous dilatational tracheostomy: A propensity score analysis. *Critical Care*, 19(1), 198. <https://doi.org/10.1186/s13054-015-0924-7>



Rao, F., Garuti, G., Vitacca, M., Banfi, P., Racca, F., Cutrera, R., Pavone, M., Pedemonte, M., Schisano, M., Pedroni, S., Casiraghi, J., Vianello, A., & Sansone, V. A. on behalf of the UILDM Respiratory group. (2021). Management of respiratory complications and rehabilitation in individuals with muscular dystrophies: 1st Consensus Conference report from UILDM - Italian Muscular Dystrophy Association (Milan, January 25 -16, 2019). *Acta Myologica*, *XL*, 8 – 42. <https://doi.org/10.36185/2532-1900-045>



Roberts, H., & Greenwood, N. (2019). Speech and language therapy best practice for patients in prolonged disorders of consciousness: A modified Delphi study. *International Journal of Language & Communication Disorders*, *54*(5), 841-854. <https://doi.org/10.1111/1460-6984.12489>



Roberts, K. J. (2020). Enhancing early mobility with a speaking valve. *Respiratory Care*, *65*(2), 269-270. <https://doi.org/10.4187/respcare.07671>



Rodrigues, K. A., Machado, F. R., Chiari, B. M., Rosseti, H. B., Lorenzon, P., & Gonçalves, M. I. (2015). Swallowing rehabilitation of dysphagic tracheostomized patients under mechanical ventilation in intensive care units: A feasibility study. *Revista Brasileira De Terapia Intensiva*, *27*(1), 64-71. <https://doi.org/10.5935/0103-507x.20150011>



Rose, L., Sutt, A. L., Amaral, A. C., Fergusson, D. A., Smith, O. M., & Dale, C. M. (2021). Interventions to enable communication for adult patients requiring an artificial airway with or without mechanical ventilator support. *Cochrane Library: Cochrane Database of Systematic Reviews*, *10* (CD013379). <https://doi.org/10.1002/14651858.CD013379.pub2>



Ross, J., & White, M. (2003). Removal of the tracheostomy tube in the aspirating spinal cord-injured patient. *Spinal Cord*, *41*(11), 636-642. <https://doi.org/10.1038/sj.sc.3101510>



Rovira, A., Dawson, D., Walker, A., Tornari, C., Dinham, A., Foden, N., Surda, P., Archer, S., Lonsdale, D., Ball, J., Ofo, E., Karagama, Y., Odutoye, T., Simo, R., & Arora, A. (2021). Tracheostomy care and decannulation during the COVID-19 pandemic. A multidisciplinary clinical practice guideline. *European Archives of Oto-Rhino-Laryngology*, *273*, 313-321. <https://doi.org/10.1007%2Fs00405-020-06126-0>



Sapienza, C., Trocher, M. (2012). *Respiratory Muscle Strength Training Theory and Practice*. San Diego, CA: Plural Publishing.



Santos, A., Harper, D., Gandy, S. & Buchanan, B. (2018). The positive impact of multidisciplinary tracheostomy team in the care of post-tracheostomy patients. *Critical Care Medicine*, *46*(1): 1214.



Schellekens, W. M., Hees, H. W., Doorduyn, J., Roesthuis, L. H., Scheffer, G. J., Hoeven, J. G., & Heunks, L. M. (2016). Strategies to optimize respiratory muscle function in ICU patients. *Critical Care*, *20*(1), 103. <https://doi.org/10.1186/s13054-016-1280-y>



Schwarz, E.I. & Bloch, K.E. (2019). Frontiers in clinical practice of long-term care of chronic ventilatory failure. *Respiration*, *98*, 1-15. <https://doi.org/10.1159/000499316>



Sciaky, A. J. (1994). Mobilizing the intensive care unit patient: Pathophysiology and treatment. *Physical Therapy Practice*, *3*(2), 69-80.



Shaker, R., Milbrath, M., Ren, J., Campbell, B., Toohill, R., & Hogan, W. (1995). Deglutitive aspiration in patients with tracheostomy: Effect of tracheostomy on the duration of vocal cord closure. *Gastroenterology*, *108*(5), 1357-1360. [https://doi.org/10.1016/0016-5085\(95\)90682-7](https://doi.org/10.1016/0016-5085(95)90682-7)



Shea, M., & McDonald, D. D. (2010). Factors associated with increased pain communication by older adults. *Western Journal of Nursing Research*, *33*(2), 196-206. <https://doi.org/10.1177/0193945910372775>



Siebens, A. A., Tippet, D. C., Kirby, N., & French, J. (1993). Dysphagia and expiratory air flow. *Dysphagia*, *8*(3), 266-269. <https://doi.org/10.1007/bf01354549>



Singh, H., Srivastava, M., Singh, A. K., Singh, H., & Ahmad, W. (2020). Tracheostomy from insertion to decannulation. *Journal of Otorhinolaryngology and Allied Science*, *3*(2), 36-41. <https://www.joas.co.in/html-article/11917>



Skoretz, S. A., Anger, N., Wellman, L., Takai, O., & Empey, A. (2020). A systematic review of tracheostomy modifications and swallowing in adults. *Dysphagia*, 35(6), 935-947. <https://doi.org/10.1007/s00455-020-10115-0>



Sohn, E. Y., Peck, K., Kamerman Kretzmer, R., Kato, R., Keens, T. G., & Davidson Ward, S. L. (2021). Comparison of SIMV+ PS and AC modes in chronically ventilated children and effects on speech. *Pediatric Pulmonology*, 56(1), 179 – 186. <https://doi.org/10.1002/ppul.25102>



Southcott, A. M., Holdsworth, C., Malcolm, L., Muruganandan, S., & Skinnner, E. (2019). Evaluation of the implementation of a Tracheostomy Review Services (TRS): An observational cohort study. *Journal of Interprofessional Care*, 33(6), 697-705. <https://doi.org/10.1080/13561820.2019.1566216>



Speed, L., & Harding, K. E. (2013). Tracheostomy teams reduce total tracheostomy time and increase speaking valve use: A systematic review and meta-analysis. *Journal of Critical Care*, 28(2), 216.e1-10. <https://doi.org/10.1016/j.jcrc.2012.05.005>



Stachler, R. J., Hamlet, S. L., Choi, J., & Fleming, S. (1996). Scintigraphic quantification of aspiration reduction with the Passy-Muir valve. *The Laryngoscope*, 106(2), 231-234. <https://doi.org/10.1097/00005537-199602000-00024>



Stranix, J. T., Danziger, K., Dumbrava, V. L., Mars, G., Hirsch, D. L., & Levine, J. P. (2016). Technique to improve tracheostomy speaking valve tolerance after head and neck free flap reconstruction. *Plastic and Reconstructive Surgery – Global Open*, 4(12): e1082.



Stierli, S., Buss, I., Redecker, H., Baumberger, M., Blättler, E., Selb, M., Ischer, B., & Schwegler, H. (2020). Insights from an interprofessional post-COVID-19 rehabilitation unit: A speech and language therapy and respiratory medicine perspective. *Journal of Rehabilitation Medicine*, 52(9). <https://doi.org/10.2340/16501977-2735>



Suiter, D. M., Mccullough, G. H., & Powell, P. W. (2003). Effects of cuff deflation and one-way tracheostomy speaking valve placement on swallow physiology. *Dysphagia*, 18(4), 284-292. <https://doi.org/10.1007/s00455-003-0022-x>



Sun, G. H., Chen, S. W., MacEachern, M. P., & Wang, J. (2020). Successful decannulation of patients with traumatic spinal cord injury: A scoping review. *The Journal of Spinal Cord Medicine*, 1-12. <https://doi.org/10.1080/10790268.2020.1832397>



Supinski, G. S., & Callahan, L. A. (2013). Diaphragm weakness in mechanically ventilated critically ill patients. *Critical Care*, 17(3), R120. <https://doi.org/10.1186/cc12792>



Sutt, A. L., Antsey, C., Caruana, L. R., Cornwell, P. L., & Fraser, J. (2017). Ventilation distribution and lung recruitment with speaking valve use in tracheostomised patient weaning from mechanical ventilation in intensive care. *Journal of Critical Care*, 40:164-170. <https://doi.org/10.1016/j.jcrc.2017.04.001>



Sutt, A., Caruana, L. R., Dunster, K. R., Cornwell, P. L., Anstey, C. M., & Fraser, J. F. (2016). Speaking valves in tracheostomised ICU patients weaning off mechanical ventilation - Do they facilitate lung recruitment? *Critical Care*, 20(1), 91. <https://doi.org/10.1186/s13054-016-1249-x>



Sutt, A., Caruana, L. R., Dunster, K. R., Cornwell, P. L., & Fraser, J. F. (2015). Improved lung recruitment and diaphragm mobility with an in-line speaking valve in tracheostomised mechanically ventilated patients – An observational study. *Australian Critical Care*, 28(1), 45. <https://doi.org/10.1016/j.aucc.2014.10.021>



Sutt, A., Cornwell, P. L., Caruna, L. R., Dunster, K. R., & Fraser, J. F. (2015). Speaking valves in mechanically ventilated ICU patients - Improved communication and improved lung recruitment. *American Journal of Respiratory Critical Care Medicine*, 191, A3162.



Sutt, A., Cornwell, P. L., Mullany, D., Kinneally, T., & Fraser, J. F. (2015). The use of tracheostomy speaking valves in mechanically ventilated patients results in improved communication and does not prolong ventilation time in cardiothoracic intensive care unit patients. *Journal of Critical Care*, 30(3), 491-494. <https://doi.org/10.1016/j.jcrc.2014.12.017>



Sutt, A., & Fraser, J. F. (2015). Speaking valves as part of standard care with tracheostomized mechanically ventilated patients in intensive care unit. *Journal of Critical Care*, 30(5), 1119-1120. <https://doi.org/10.1016/j.jcrc.2015.06.015>

-  Sutt, A. L., Hay, K., Kinneally, T., Fisquet, S., & Fraser, J. F. (2020). Sedatives, analgesics and antipsychotics in tracheostomised ICU patients—Is less more? *Australian Critical Care*, 33(5), 407-411. <https://doi.org/10.1016/j.aucc.2018.12.004>
-  Sutt, A. L., Wallace, S., & Egbers, P. (2021). Upper airway assessment for one-way valve use in a patient with a tracheostomy. *American Journal of Speech-Language Pathology*, 30(6), 2716-2717. [https://doi.org/10.1044/2021\\_AJSLP-21-00174](https://doi.org/10.1044/2021_AJSLP-21-00174)
-  Tembo, A. C., Higgins, I., & Parker, V. (2015). The experience of communication difficulties in critically ill patients in and beyond intensive care: Findings from a larger phenomenological study. *Intensive and Critical Care Nursing*, 31(3), 171-178. <https://doi.org/10.1016/j.iccn.2014.10.004>
-  Tolep, K., Getch, C. L., & Criner, G. J. (1996). Swallowing dysfunction in patients receiving prolonged mechanical ventilation. *Chest*, 109(1), 167-172. <https://doi.org/10.1378/chest.109.1.167>
-  Tornari, C., Surda, P., Takhar, A., Amin, N., Dinham, A., Harding, R., Ranford, D. A., Archer, S. K., Wyncoll, D., Tricklebank, S., Ahmad, I., Simo, R., & Arora, A. (2021). Tracheostomy, ventilatory wean, and decannulation in COVID-19 patients. *European Archives of Oto-Rhino-Laryngology*, 278(5), 1595-1604. <https://doi.org/10.1007/s00405-020-06187-1>
-  Trees, D. W., Smith, J. M., & Hockert, S. (2013). Innovative mobility strategies for the patient with intensive care unit-acquired weakness: A case report. *Physical Therapy*, 93(2), 237-247. <https://doi.org/10.2522/ptj.20110401>
-  Twose, P., Jones, G., Lowes, J., & Morgan, P. (2019). Enhancing care of patients requiring a tracheostomy: A sustained quality improvement project. *Journal of Critical Care*, 54, 191- 196. <https://doi.org/10.1016/j.jcrc.2019.08.030>
-  Vargas, M., & Servillo, G. (2016). One-way, positive-pressure speaking valve during mechanical ventilation via tracheostomy tube: Risks or benefits? *Critical Care Medicine*, 44(11): e1146-e1147.
-  Vergara, J., Starmer, H.M., Wallace, S., Bolton, L., Seedat, J., De Souza, C.M., Freitas, S.V., & Skoretz, S.A. (2021). Swallowing and communication management of tracheostomy and laryngectomy in the context of COVID-19: A review. *JAMA Otolaryngology–Head & Neck Surgery*, 147(1), 85-90. <https://doi.org/10.1001/jamaoto.2020.3720>
-  Wallace, S., & McGrath, B. A. (2021). Laryngeal complications after tracheal intubation and tracheostomy. *BJA Education*, 21(7), 250–257. <https://doi.org/10.1016/j.bjae.2021.02.005>
-  Wheeler Hegland, K., Huber, J. E., Pitts, T., & Sapienza, C. M. (2009). Lung volume during swallowing: Single bolus swallows in healthy young adults. *Journal of Speech, Language and Hearing Research*, 52(1), 178-187. <https://pubs.asha.org/doi/10.1044/1092-4388%282008/07-0165%29>
-  Whitmore, K. A., Townsend, S. C., & Laupland, K. B. (2020). Management of tracheostomies in the intensive care unit: A scoping review. *BMJ Open Respiratory Research*, 7(1). <https://dx.doi.org/10.1136/bmjresp-2020-000651>
-  Wiberg, S., Whitling, S., & Bergström, L. (2020). Tracheostomy management by speech-language pathologists in Sweden. *Logopedics Phoniatrics Vocology*, 1-11. <https://doi.org/10.1080/14015439.2020.1847320>
-  You, P., Dimachkieh, A., Yu, J., Buchanan, E., Rappazzo, C., Raynor, T., Arjmand, E., Bedwell, J., Weber, R.S., Kupferman, M.E., & Chelius, D.C. (2022). Decannulation protocol for short term tracheostomy in pediatric head and neck tumor patients. *International Journal of Pediatric Otorhinolaryngology*, 153, 111012. <https://doi.org/10.1016/j.ijporl.2021.111012>
-  Yu, M. (2010). Tracheostomy patients on the ward: Multiple benefits from a multidisciplinary team? *Critical Care*, 14(1), 109. <https://doi.org/10.1186/cc8218>
-  Zaga, C.J., Berney, S., & Vogel, A.P. (2019). The feasibility, utility, and safety of communication interventions with mechanically ventilated intensive care unit patients: A systematic review. *American Journal of Speech-Language Pathology*, 28(3), 1335-1355. [https://doi.org/10.1044/2019\\_AJSLP-19-0001](https://doi.org/10.1044/2019_AJSLP-19-0001)



Zaga, C. J., Cigognini, B., Vogel, A. P., & Berney, S. (2020). Outcome measurement tools for communication, voice and speech intelligibility in the ICU and their clinimetric properties: A systematic review. *Journal of the Intensive Care Society*, 1-14. <https://doi.org/10.1177/1751143720963757>



Zaga, C. J., Pandian, V., Brodsky, M. B., Wallace, S., Cameron, T. S., Chao, C., Orloff, L. A., Atkins, N. E., McGrath, B. A., Lazarus, C. L., Vogel, A. P. & Brenner, M. J. (2020). Speech-language pathology guidance for tracheostomy during the COVID-19 pandemic: An international multidisciplinary perspective. *American Journal of Speech-Language Pathology*, 29(3), 1320-1334. [https://doi.org/10.1044/2020\\_AJSLP-20-00089](https://doi.org/10.1044/2020_AJSLP-20-00089)



Zilberberg, M. D., & Shorr, A. F. (2008). Prolonged acute mechanical ventilation and hospital bed utilization in 2020 in the United States: Implications for budgets, plant and personnel planning. *BMC Health Services Research*, 8(1), 242. <https://doi.org/10.1186/1472-6963-8-242>

